




INDUSTRIAL VACUUM CLEANERS WITH LOBE PUMP



VACUUMING SOLUTIONS FOR HEAVY INDUSTRIES

In order to keep the highest production efficiency and security standards, cement plants, foundries, steelworks, incinerators and power plants require powerful and effective cleaning tools, able to deal with large quantities of material.

DHV Delfin industrial vacuums make it easy and safe to remove and move large quantities of dusty or solid material. Thanks to its features, the DHV range is the most suitable vacuuming solution to the needs of industries dealing with large quantities of dusts, wastes and residuals which constantly mine their production efficiency and safety.



CEMENT PLANTS AND LIME



STEEL PLANTS



POWER GENERATION
(COAL, BIOMASS, INCINERATORS)



STEEL WORKS
(FORGING, LAMINATION, SANDBLASTING)



FOUNDRIES



GLASS FACTORIES



SHIPYARDS



REFINERIES



FERTILIZER PLANTS




BRICK & TILES

INDUSTRIAL VACUUM SYSTEMS FOR HEAVY INDUSTRIES

Delfin DHV industrial vacuum cleaners are the most effective solution for the maintenance needs inside heavy industry production plants, allowing safe and easy handling of large quantities of dusts and solids.

- Vacuums engineered for heavy and continuous duty
- High autonomy of the system
- Highly performant and long-lasting products
- Low noise level
- High filtration efficiency
- Easy to set up and to maintain
- Several customized solutions available upon request




COMPACT RANGE 22/30/37 TANK
with 264 gal (1,000 lt) detachable container



COMPACT 22 HOPPER
with 264 gal (1,000 lt) hopper and Big-Bag discharge



DHV TANK
with 211 gal (800 lt) detachable container



DHV HOPPER
with 264 gal (1,000 lt) hopper and butterfly discharge system

		CP 22AF	CP 22HV	CP 30AF	CP 37AF	CP 37HV	DHV 30AF	DHV 30HV	DHV 45AF	DHV 45HV
Power	HP (kW)	30 (22)	30 (22)	40.7 (30)	50.3 (37)	50.3 (37)	30 (22)	30 (22)	61.2 (45)	61.2 (45)
Max Water lift	mmH ₂ O (inH ₂ O)	197 (5,000)	295 (7,500)	197 (5,000)	197 (5,000)	283.4 (7,200)	197 (5,000)	334.6 (8,500)	197 (5,000)	334.6 (8,500)
Air flow	CFM (m ³ /h)	765 (1,300)	647.4 (1,100)	1,000.5 (1,700)	1,177.1 (2,000)	882.8 (1,500)	1,059.4 (1,800)	765 (1,300)	1,471.4 (2,500)	1,118.2 (1,900)
Main filter	ft ² (cm ²)	75.3 (70,000)	75.3 (70,000)	129 (120,000)	129 (120,000)	129 (120,000)	172.2 (160,000)	172.2 (160,000)	172.2 (160,000)	172.2 (160,000)
Safety filter	ft ² (cm ²)	43 (40,000)	43 (40,000)	43 (40,000)	43 (40,000)	43 (40,000)	75.3 (70,000)	75.3 (70,000)	75.3 (70,000)	75.3 (70,000)

BENEFITS



WASTE REDUCTION
Recovery of leaks and spillages with a recycling process
Increase of product quality



DOWNTIMES REDUCTION
Prevention of breakdowns and increase of plant lifetime, thus reducing spare parts buying costs



PRODUCTION EFFICIENCY
Maximum production capacity and efficiency thanks to the regular maintenance of the plants




SAFE AND HEALTHY WORKING ENVIRONMENTS
Injury reduction and minimization of diseases caused by the constant presence of dust



CONTROL PANEL BOARD WITH DISPLAY ON DHV LINE


DHV OPERATING PRINCIPLE

A powerful pump with tri-lobe rotors generates the vacuum, which allows to vacuum large quantities of heavy materials. A set of highly efficient sleeve filters protects the pump while separating air from the recovered material, which falls into the collection unit.




HIGH VACUUM LOBE PUMPS

Self-cooling lobe pumps generate very high waterlift and air flow values




EFFICIENT FILTRATION SYSTEM

The vacuum unit is protected by class M polyester filters and safety cartridges, able to filter up to 1 micron dusts. Filter efficiency and vacuum cleaner performances are guaranteed by an automatic filter cleaning system which continuously cleans the sleeve filters.



FILTER CLEANING IN ALTERNATING BACKWASH CHAMBER SYSTEM



FILTER CLEANING SYSTEM FOR COMPACT RANGE

HELPS TO MANAGE VACUUMED MATERIAL

The DHV vacuum cleaners are equipped with detachable and forked containers or with Big-Bag discharge hoppers for maximum ease and safety of use.



HIGH COLLECTION CANISTER EQUIPPED WITH FORKLIFT INTAKES



BIG BAG COLLECTION

CUSTOMIZED VACUUMING SOLUTIONS



Delfin engineers and manufactures centralized vacuum systems complete with vacuum unit, filter hoppers, preseparators and piping, that allow to vacuum material even from multiple points simultaneously.

A centralized vacuum system allows to:

- Improve the hygiene level and cleanliness of working environments
- Collect materials, convey or dispose of them in an easy, safe and quick way
- Increase safety level of working environments, thus reducing injury risks
- Reduce the environmental impact of the company

POWERFUL VACUUM UNITS

The vacuum unit is the heart of the centralized system and its power must be dimensioned considering the specific need of the customer. Delfin vacuum units are equipped with sound-proof cabin and cooling fan.

		CV 22AF	CV 30AF	CV 30HV	CV 37AF	CV 37HV	CV 45AF	CV 45HV
Power	HP (kW)	30 (22)	40.7 (30)	40.7 (30)	50.3 (37)	50.3 (37)	61.2 (45)	61.2 (45)
Max Water lift	inH ₂ O (mmH ₂ O)	197 (5,000)	197 (5,000)	295 (7,500)	197 (5,000)	283.4 (7,200)	197 (5,000)	334.6 (8,500)
Air flow	CFM (m ³ /h)	765 (1,300)	1,000.5 (1,700)	765 (1,300)	1,177.1 (2,000)	882.8 (1,500)	1,353.7 (2,300)	1,000.5 (1,700)



FILTER HOPPERS

In order to guarantee the maximum power for the vacuum unit it is necessary to protect the engines from dusts by means of filter hoppers. Delfin pre-separators are equipped with a cyclonic cover, equipped with filtering sleeves, and automatic alternating backwash.

**FILTER HOPPER
Ø30.7IN 132GAL**




**FILTER HOPPER Ø47.2IN
264GAL**



		FILTER HOPPER 132gal (500lt)	FILTER HOPPER 264gal (1000lt)	FILTER HOPPER 264gal (1000lt)
Capacity	gal (lt)	132 (500)	264 (1000)	264 (1000)
Main filter	ft ² (cm ²)	91.49 (85,000)	91.49 (85,000)	172.22 (160,000)

FILTER HOPPER WITH LADDER AND PLATFORM



- Mobile separator with sleeves filters
- Backwash filter cleaning
- 264 gal hopper with inspection hatch
- Manual butterfly discharge Ø9.8 in
- Platform with ladder for filter maintenance
- Stability / Safety / Robustness
- Rotating level detector
- Filtering surface 172.22 ft2

PRESEPARATORS WITH CYCLONE

All pre-separators units are equipped with a cyclone and can be designed with different discharge systems.



EASY TO HANDLE BY MEANS OF
FORK LIFT INTAKES



AUTOMATIC
SNAP CLOSURE



CHASSIS WITH DIFFERENT HEIGHTS
AVAILABLE UPON REQUEST


DISCHARGE SYSTEM FOR ANY NEED



BUTTERFLY VALVE



DOUBLE BUTTERFLY
VALVE



ROTOVALVE FOR
CONTINUOUS DISCHARGE

SAFETY EQUIPMENT

Every product can be equipped with additional safety systems, to satisfy any installation requirement.



EXPLOSION VENTS



EXPLOSION RELIEVE VALVES



ISOLATION FLAP VALVES



ATEX CERTIFICATION

STURDY AND LONG-LASTING COMPONENTS

Reinforced piping for the complete customization of the system.



PIPING



BENDS



BRANCH PIPES



REINFORCED CUFFS

ERGONOMIC AND USER-FRIENDLY ACCESSORIES

Accessories engineered to simplify maintenance operations and vacuuming of large quantities of material.



SCRAPING NOZZLE
WITH WHEELS



VERTICAL ACCESSORY
WITH HANDLE



PROBE PIPE WITH AIR
FLUIDIFICATION



DOUBLE BEND AND
BRUSH FOR FLOOR CLEANING



ABRASION-PROOF
HOSE PU SUPER HD

DHV APPLICATIONS



Delfin is a global leader in the manufacturing of industrial vacuum equipment, ranging from portable vacuums for industrial cleaning, to central vacuum systems and engineered solutions, to pneumatic conveying systems. Our mission is to create value by designing innovative solutions that improve efficiency, safety and productivity. Our aim is to use our expertise to help our customers to achieve their goals.



Delfin Industrial Corporation
2010 E Center Circle, Bldg C • Suite 300 • Plymouth, MN 55441
Tel 877-205-9015
sales@delfinindustrial.com • delfinindustrial.com